
TrelloRadar Documentation

Release 0.0

Jacques Gaudin

Mar 29, 2021

Contents:

1 Indices and tables	3
Python Module Index	5
Index	7


```
class trelloRadar.AuthDialog(API_key="")
A class to present an authorization dialog to the user. If API_key is not given an API key and token are looked
for, otherwise only a token.

    Parameters API_key – an Trello API key, default None

    Returns an AuthDialog object

class trelloRadar.TrelloRadarApp
The main application class

    Returns a TrelloRadarApp object

clear_search(*args)
Resets the previous search list to ['@me']

    Returns None

get_API_key()
Launches an AuthDialog instance to retrieve the API key and token

    Returns None

get_config()
Reads the config file

    Returns None

get_token()
Launches an AuthDialog instance to retrieve a token

    Returns None

link_tree(labels)
Opens the url associated with the tree selection if any.

    Returns None

search_cards(query_string, cards_limit='1000')
Search Trello for cards matching query_string.

    Parameters
        • query_string – a search query
        • cards_limit – max. number of cards returned (default 1000)
    Returns a list of the cards found

send_querystring()
Records the search query and shows results

    Returns None

setup_gui()
Prepares the GUI

    Returns None

show_data(query_string, sorting)
Shows the cards matching query_string in a tree view.

    Parameters query_string – a search query
    Returns None
```

validate_credentials()

Attempts a connection to Trello with the credentials present. If connection is refused, gets new credentials.

Returns *None*

CHAPTER 1

Indices and tables

- genindex
- search

Python Module Index

t

trelloRadar, [1](#)

Index

A

AuthDialog (*class in trelloRadar*), 1

C

clear_search() (*trelloRadar.TrelloRadarApp method*), 1

G

get_API_key() (*trelloRadar.TrelloRadarApp method*), 1

get_config() (*trelloRadar.TrelloRadarApp method*),
1

get_token() (*trelloRadar.TrelloRadarApp method*), 1

L

link_tree() (*trelloRadar.TrelloRadarApp method*), 1

S

search_cards() (*trelloRadar.TrelloRadarApp method*), 1

send_querystring() (*trelloRadar.TrelloRadarApp method*), 1

setup_gui() (*trelloRadar.TrelloRadarApp method*), 1

show_data() (*trelloRadar.TrelloRadarApp method*), 1

T

trelloRadar (*module*), 1

TrelloRadarApp (*class in trelloRadar*), 1

V

validate_credentials() (*trelloRadar.TrelloRadarApp method*), 1